

Eskay Creek Project 2022 Length Weighted Drill Hole Gold Composites

Hole-ID	From (m)	To (m)	Sample Length (m)	Au (g/t)	Ag (g/t)	AuEq (g/t)
SK-22-915	520.50	521.50	1.00	2.64	2.6	2.68
SK-22-916	515.50	519.50	4.00	1.22	1.2	1.24
SK-22-916	525.07	538.00	12.93	0.67	0.7	0.68
SK-22-917	237.16	240.55	3.39	6.79	6.8	6.87
Including	237.16	238.32	1.16	10.60	10.6	10.74
SK-22-917	247.40	249.68	2.28	0.95	0.9	0.95
SK-22-917	273.96	277.50	3.54	9.70	9.7	9.83
Including	275.00	276.00	1.00	24.20	24.2	24.52
SK-22-917	375.00	378.97	3.97	0.97	1.0	0.99
SK-22-917	411.50	422.00	10.50	1.47	1.5	1.49
SK-22-917	428.00	429.50	1.50	1.71	1.7	1.73
SK-22-917	454.00	455.50	1.50	1.00	1.0	1.01
SK-22-917	580.00	583.00	3.00	0.64	0.6	0.64
SK-22-917	588.50	593.50	5.00	0.78	0.8	0.79
SK-22-917	609.00	613.00	4.00	0.52	0.5	0.53
SK-22-918	400.00	402.84	2.84	1.17	1.2	1.19
SK-22-918	473.50	481.00	7.50	1.27	1.3	1.29
SK-22-918	503.00	504.50	1.50	17.75	17.8	17.99
SK-22-919	6.00	6.60	0.60	1.18	1.2	1.20
SK-22-919	27.10	27.80	0.70	0.77	0.8	0.78
SK-22-919	49.20	64.00	14.80	0.93	0.9	0.94
SK-22-919	97.10	98.50	1.40	0.71	0.7	0.72
SK-22-919	105.50	108.00	2.50	0.79	0.8	0.80
SK-22-919	115.00	116.00	1.00	1.51	1.5	1.53
SK-22-920	242.00	243.50	1.50	0.68	0.7	0.69
SK-22-921	631.50	632.50	1.00	0.68	0.7	0.69
SK-22-959	36.00	45.00	9.00	0.66	0.7	0.66
SK-22-959	59.25	62.00	2.75	0.64	0.6	0.65
SK-22-959	80.12	94.50	14.38	1.04	1.0	1.05
SK-22-959	99.50	100.50	1.00	0.70	0.7	0.71
SK-22-959	135.05	144.50	9.45	0.97	1.0	0.98
SK-22-959	148.50	157.10	8.60	0.98	1.0	0.99
SK-22-960	6.52	20.08	13.56	2.32	2.3	2.35
SK-22-960	56.75	66.00	9.25	0.84	0.8	0.85
SK-22-960	92.50	95.50	3.00	1.46	1.5	1.48
SK-22-960	217.10	217.70	0.60	1.66	1.7	1.68
SK-22-960	283.50	284.65	1.15	0.79	0.8	0.80
SK-22-961	5.00	9.00	4.00	2.58	2.6	2.61
SK-22-961	45.50	48.50	3.00	1.24	1.2	1.26
SK-22-961	78.50	81.00	2.50	1.03	1.0	1.05
SK-22-961	84.95	87.50	2.55	0.66	0.7	0.67
SK-22-961	137.50	138.53	1.03	0.66	0.7	0.67
SK-22-961	145.87	146.50	0.63	0.65	0.7	0.66

Hole-ID	From (m)	To (m)	Sample Length (m)	Au (g/t)	Ag (g/t)	AuEq (g/t)
SK-22-961	150.25	151.56	1.31	0.77	0.8	0.78
SK-22-961	155.16	156.44	1.28	0.80	0.8	0.81
SK-22-961	167.40	168.07	0.67	0.86	0.9	0.87
SK-22-961	183.83	184.33	0.50	1.56	1.6	1.58
SK-22-961	192.22	193.42	1.20	0.92	0.9	0.93
SK-22-961	200.68	201.82	1.14	0.72	0.7	0.73
SK-22-961	210.70	226.12	15.42	0.50	0.5	0.51
SK-22-961	231.49	237.00	5.51	1.72	1.7	1.74
SK-22-966	4.71	6.00	1.29	0.60	0.6	0.61
SK-22-966	38.85	40.00	1.15	0.73	0.7	0.74
SK-22-966	52.50	53.70	1.20	0.91	0.9	0.92
SK-22-966	64.00	68.00	4.00	0.64	0.6	0.65
SK-22-966	106.37	134.99	28.62	1.03	1.0	1.05
SK-22-966	158.21	159.60	1.39	1.25	1.2	1.26
SK-22-966	170.40	180.30	9.90	0.94	0.9	0.96
SK-22-966	190.40	194.18	3.78	0.92	0.9	0.93
SK-22-966	200.50	203.50	3.00	1.14	1.1	1.15
SK-22-967	2.50	6.00	3.50	0.83	0.8	0.84
SK-22-967	16.50	21.00	4.50	0.79	0.8	0.80
SK-22-967	44.82	56.00	11.18	2.01	2.0	2.03
SK-22-967	78.00	79.00	1.00	0.84	0.8	0.85
SK-22-967	133.00	134.50	1.50	0.85	0.9	0.86
SK-22-968	2.00	5.07	3.07	1.13	1.1	1.15
SK-22-968	62.00	79.00	17.00	0.93	0.9	0.95
SK-22-968	83.85	88.50	4.65	1.07	1.1	1.08
SK-22-968	112.00	113.50	1.50	0.74	0.7	0.75
SK-22-968	119.50	121.00	1.50	0.80	0.8	0.81
SK-22-968	130.00	131.41	1.41	1.56	1.6	1.57
SK-22-968	137.00	138.20	1.20	1.06	1.1	1.07
SK-22-969	15.50	17.00	1.50	0.73	0.7	0.74
SK-22-969	100.00	101.00	1.00	1.37	1.4	1.39
SK-22-969	171.00	172.50	1.50	0.99	1.0	1.00
SK-22-969	232.06	241.00	8.94	1.17	1.2	1.18
SK-22-969	268.50	269.50	1.00	0.61	0.6	0.62
SK-22-984	7.50	15.00	7.50	0.93	0.9	0.94
SK-22-984	176.61	180.95	4.34	1.32	1.3	1.34
SK-22-984	185.00	186.00	1.00	0.65	0.7	0.66
SK-22-984	191.07	191.80	0.73	0.77	0.8	0.78
SK-22-984	204.50	207.48	2.98	1.24	1.2	1.26
SK-22-984	244.50	245.50	1.00	1.24	1.2	1.26
SK-22-988	4.00	14.50	10.50	0.86	0.9	0.88
SK-22-988	64.00	67.00	3.00	1.17	1.2	1.18
SK-22-988	83.20	114.50	31.30	1.66	1.7	1.68
SK-22-988	122.00	131.00	9.00	0.56	0.6	0.57
SK-22-990	286.34	304.00	17.66	2.97	3.0	3.01
SK-22-990	309.00	311.00	2.00	1.84	1.8	1.87
SK-22-990	495.50	496.20	0.70	0.84	0.8	0.85
SK-22-990	564.00	565.50	1.50	0.65	0.7	0.66
SK-22-990	583.50	585.00	1.50	1.36	1.4	1.38
SK-22-990	618.00	622.50	4.50	0.78	0.8	0.79
SK-22-990	630.00	631.50	1.50	0.76	0.8	0.77
SK-22-995	36.50	50.50	14.00	3.04	3.0	3.07
SK-22-995	76.00	76.95	0.95	1.30	1.3	1.32
SK-22-995	87.25	91.27	4.02	0.62	0.6	0.63
SK-22-995	122.85	123.36	0.51	2.25	2.3	2.28

Hole-ID	From (m)	To (m)	Sample Length (m)	Au (g/t)	Ag (g/t)	AuEq (g/t)
SK-22-995	234.50	235.50	1.00	4.56	4.6	4.62
SK-22-996	210.78	212.95	2.17	2.79	2.8	2.83
SK-22-998	169.00	170.23	1.23	0.89	0.9	0.90
SK-22-999	194.00	195.50	1.50	0.65	0.7	0.66
SK-22-1000	195.50	196.60	1.10	0.69	0.7	0.70
SK-22-1000	216.07	217.25	1.18	1.29	1.3	1.31
SK-22-1001	10.00	33.50	23.50	9.29	9.3	9.41
INCLUDING	28.37	29.50	1.13	21.20	21.2	21.48
and	29.50	30.60	1.10	32.10	32.1	32.53
and	30.60	32.00	1.40	79.40	79.4	80.46
and	32.00	33.50	1.50	18.85	18.9	19.10
SK-22-1002	34.25	35.52	1.27	0.98	1.0	0.99
SK-22-1002	50.50	52.00	1.50	0.79	0.8	0.80
SK-22-1002	202.56	216.75	14.19	1.86	1.9	1.89
SK-22-1002	258.00	259.06	1.06	1.07	1.1	1.08
SK-22-1003	8.00	9.50	1.50	0.61	0.6	0.62
SK-22-1003	39.00	47.50	8.50	1.76	1.8	1.78
SK-22-1003	163.50	169.00	5.50	1.02	1.0	1.03
SK-22-1003	174.50	194.46	19.96	0.83	0.8	0.84
SK-22-1004						NSA
SK-22-1005	1.27	3.00	1.73	0.82	0.8	0.83
SK-22-1005	18.00	19.50	1.50	1.14	1.1	1.16
SK-22-1005	63.50	69.50	6.00	1.94	1.9	1.96
SK-22-1005	102.59	107.00	4.41	1.11	1.1	1.13
SK-22-1005	147.62	148.75	1.13	0.63	0.6	0.64
SK-22-1005	162.87	164.60	1.73	0.99	1.0	1.01
SK-22-1006	34.00	35.00	1.00	0.64	0.6	0.65
SK-22-1006	53.50	67.50	14.00	1.12	1.1	1.14
SK-22-1006	86.00	87.50	1.50	0.61	0.6	0.62
SK-22-1006	97.50	118.50	21.00	2.27	2.3	2.30
Including	112.15	113.25	1.10	11.05	11.1	11.20
SK-22-1007	13.00	15.00	2.00	1.03	1.0	1.04
SK-22-1007	19.50	29.50	10.00	0.69	0.7	0.70
SK-22-1007	167.00	168.47	1.47	1.10	1.1	1.11
SK-22-1007	181.50	183.00	1.50	1.10	1.1	1.11
SK-22-1008	53.20	100.70	47.50	1.31	1.3	1.33
Including	83.73	85.05	1.32	10.60	10.6	10.74
SK-22-1008	158.50	160.00	1.50	0.60	0.6	0.61
SK-22-1008	219.90	221.00	1.10	0.68	0.7	0.69
SK-22-1008	225.00	226.40	1.40	0.60	0.6	0.61
SK-22-1008	260.50	262.00	1.50	1.41	1.4	1.43
SK-22-1009	158.26	165.44	7.18	0.68	0.7	0.69
SK-22-1009	168.80	180.60	11.80	1.30	1.3	1.32
SK-22-1009	189.00	190.00	1.00	0.69	0.7	0.70
SK-22-1009	230.80	231.60	0.80	1.50	1.5	1.52
SK-22-1009	265.35	266.50	1.15	0.59	0.6	0.60
SK-22-1009	270.00	283.00	13.00	0.78	0.8	0.79
SK-22-1010	88.10	90.00	1.90	0.62	0.6	0.63
SK-22-1010	157.50	165.00	7.50	1.01	1.0	1.02
SK-22-1010	182.00	182.74	0.74	0.77	0.8	0.78
SK-22-1010	205.05	210.00	4.95	0.77	0.8	0.78
SK-22-1010	237.21	238.88	1.67	0.93	0.9	0.94
SK-22-1010	242.05	242.60	0.55	0.62	0.6	0.63
SK-22-1010	245.77	246.47	0.70	1.61	1.6	1.63
SK-22-1010	252.55	253.10	0.55	0.97	1.0	0.98

Hole-ID	From (m)	To (m)	Sample Length (m)	Au (g/t)	Ag (g/t)	AuEq (g/t)
SK-22-1010	257.00	261.67	4.67	1.40	1.4	1.42
SK-22-1011	148.00	157.50	9.50	3.25	3.3	3.29
SK-22-1011	228.00	228.80	0.80	0.60	0.6	0.61
SK-22-1011	232.60	233.35	0.75	1.06	1.1	1.07
SK-22-1011	236.50	242.39	5.89	1.82	1.8	1.84
SK-22-1011	268.67	269.30	0.63	0.87	0.9	0.88
SK-22-1011	272.44	273.50	1.06	1.21	1.2	1.23
SK-22-1011	299.00	308.00	9.00	1.01	1.0	1.02
SK-22-1011	331.00	331.50	0.50	0.69	0.7	0.70
SK-22-1011	346.50	348.00	1.50	43.20	43.2	43.78
SK-22-1011	363.50	365.50	2.00	0.83	0.8	0.83
SK-22-1011	372.00	372.50	0.50	0.59	0.6	0.60
SK-22-1012	47.50	54.10	6.60	1.62	1.6	1.64
SK-22-1012	69.88	76.44	6.56	5.87	5.9	5.95
SK-22-1012	79.75	84.00	4.25	2.43	2.4	2.46
SK-22-1012	244.10	245.10	1.00	0.73	0.7	0.74
SK-22-1012	261.53	266.78	5.25	0.61	0.6	0.61
SK-22-1013	28.50	29.50	1.00	1.10	1.1	1.11
SK-22-1014	1.67	3.50	1.83	0.94	0.9	0.95
SK-22-1014	41.00	43.50	2.50	0.68	0.7	0.69
SK-22-1014	113.43	114.50	1.07	1.93	1.9	1.96
SK-22-1014	177.50	180.50	3.00	1.18	1.2	1.19
SK-22-1014	185.00	192.00	7.00	0.73	0.7	0.74
SK-22-1014	225.00	226.50	1.50	1.07	1.1	1.08
SK-22-1015	36.00	39.30	3.30	1.25	1.3	1.27
SK-22-1015	58.90	61.78	2.88	3.29	3.3	3.34
SK-22-1015	76.90	79.90	3.00	1.80	1.8	1.82
SK-22-1015	294.60	297.10	2.50	0.87	0.9	0.88
SK-22-1016	27.50	28.40	0.90	0.78	0.8	0.79
SK-22-1017	29.50	31.18	1.68	0.65	0.7	0.66
SK-22-1018	4.40	13.53	9.13	1.61	1.6	1.63
SK-22-1018	19.32	47.00	27.68	1.85	1.8	1.87
SK-22-1018	85.70	98.50	12.80	1.20	1.2	1.22
SK-22-1018	164.30	197.00	32.70	0.80	0.8	0.81
SK-22-1018	211.40	227.47	16.07	1.02	1.0	1.04
SK-22-1018	231.00	240.00	9.00	0.59	0.6	0.60
SK-22-1018	246.00	247.50	1.50	1.22	1.2	1.24
SK-22-1018	253.05	253.55	0.50	2.62	2.6	2.65
SK-22-1019	683.50	685.20	1.70	1.06	1.1	1.08
SK-22-1019	689.20	691.20	2.00	5.77	5.8	5.84
SK-22-1019	695.20	698.20	3.00	0.61	0.6	0.61
SK-22-1020	569.02	570.50	1.48	1.05	1.1	1.06
SK-22-1020	592.25	602.50	10.25	1.38	1.4	1.40
SK-22-1020	626.50	628.00	1.50	0.73	0.7	0.74
SK-22-1020	635.50	637.00	1.50	0.59	0.6	0.60
SK-22-1020	641.50	644.00	2.50	0.97	1.0	0.98
SK-22-1021	639.50	642.50	3.00	7.72	7.7	7.83
Including	640.50	641.60	1.10	18.45	18.5	18.70
SK-22-1022	638.50	640.00	1.50	0.77	0.8	0.78
SK-22-1023	9.30	23.18	13.88	1.97	2.0	2.00
SK-22-1023	27.82	39.50	11.68	0.79	0.8	0.80
SK-22-1023	60.40	92.00	31.60	1.52	1.5	1.54
SK-22-1023	108.00	111.50	3.50	1.10	1.1	1.11
SK-22-1023	116.00	122.00	6.00	1.57	1.6	1.59
SK-22-1023	138.40	143.50	5.10	1.11	1.1	1.12

Hole-ID	From (m)	To (m)	Sample Length (m)	Au (g/t)	Ag (g/t)	AuEq (g/t)
SK-22-1023	147.00	164.67	17.67	0.71	0.7	0.72
SK-22-1023	168.00	180.25	12.25	0.65	0.6	0.66
SK-22-1023	191.50	203.80	12.30	1.17	1.2	1.19
SK-22-1024	22.00	38.00	16.00	0.77	0.8	0.78
SK-22-1024	53.00	56.00	3.00	2.31	2.3	2.34
SK-22-1024	60.94	62.00	1.06	0.61	0.6	0.62
SK-22-1024	87.50	93.50	6.00	3.78	3.8	3.83
SK-22-1024	133.77	134.75	0.98	1.51	1.5	1.53
SK-22-1024	147.07	153.69	6.62	0.82	0.8	0.83
SK-22-1024	220.40	223.60	3.20	0.39	0.4	0.39
SK-22-1024	232.00	235.00	3.00	1.24	1.2	1.26
SK-22-1024	242.50	244.00	1.50	1.93	1.9	1.96
SK-22-1025	4.00	10.00	6.00	0.69	0.7	0.70
SK-22-1025	37.00	38.50	1.50	0.74	0.7	0.75
SK-22-1025	79.00	96.00	17.00	0.65	0.7	0.66
SK-22-1025	99.42	100.14	0.72	1.98	2.0	2.01
SK-22-1025	119.00	120.50	1.50	1.03	1.0	1.04
SK-22-1025	146.00	147.50	1.50	13.20	13.2	13.38
SK-22-1025	173.00	174.50	1.50	6.52	6.5	6.61
SK-22-1025	200.00	215.00	15.00	0.70	0.7	0.71
SK-22-1026	0.47	10.50	10.03	0.75	0.7	0.76
SK-22-1026	18.00	19.50	1.50	0.66	0.7	0.67
SK-22-1026	93.00	104.50	11.50	1.80	1.8	1.82
SK-22-1026	154.50	166.50	12.00	0.79	0.8	0.80
SK-22-1026	172.50	174.00	1.50	0.66	0.7	0.67
SK-22-1026	178.50	208.00	29.50	0.74	0.7	0.75
SK-22-1027	17.00	18.50	1.50	0.62	0.6	0.63
SK-22-1027	26.50	27.00	0.50	0.68	0.7	0.69
SK-22-1027	43.00	44.50	1.50	0.66	0.7	0.67
SK-22-1028	76.00	77.50	1.50	8.60	8.6	8.71
SK-22-1028	85.00	86.50	1.50	0.67	0.7	0.68
SK-22-1028	109.50	111.00	1.50	0.64	0.6	0.65
SK-22-1028	123.00	124.50	1.50	0.59	0.6	0.60
SK-22-1028	174.90	221.67	46.77	1.74	1.7	1.76
SK-22-1028	263.40	267.50	4.10	0.67	0.7	0.68
SK-22-1028	273.00	290.33	17.33	0.64	0.6	0.65
SK-22-1028	315.30	315.90	0.60	0.77	0.8	0.78
SK-22-1029	87.35	88.50	1.15	3.99	4.0	4.04
SK-22-1029	106.00	107.50	1.50	1.24	1.2	1.26
SK-22-1029	182.70	197.00	14.30	0.58	0.6	0.59
SK-22-1029	201.00	207.00	6.00	1.35	1.4	1.37
SK-22-1029	229.50	235.50	6.00	1.81	1.8	1.83
SK-22-1029	240.50	248.50	8.00	0.79	0.8	0.80
SK-22-1029	274.75	276.87	2.12	1.30	1.3	1.32
SK-22-1030	1006.65	1008.00	1.35	2.52	14.3	2.68
SK-22-1031	10.50	11.90	1.40	0.36	17.9	0.56
SK-22-1031	63.50	68.00	4.50	0.28	11.7	0.41
SK-22-1031	78.00	128.00	50.00	2.21	4.6	2.27
SK-22-1031	137.00	162.00	25.00	0.43	16.7	0.62
SK-22-1031	187.50	190.50	3.00	0.30	1.4	0.32
SK-22-1032	37.00	38.00	1.00	0.61	0.6	0.62
SK-22-1032	45.48	56.50	11.02	1.73	1.7	1.75
SK-22-1032	60.00	61.19	1.19	1.60	1.6	1.62
SK-22-1032	70.00	99.50	29.50	1.45	1.5	1.47
SK-22-1033	16.00	17.04	1.04	0.39	8.6	0.49

Hole-ID	From (m)	To (m)	Sample Length (m)	Au (g/t)	Ag (g/t)	AuEq (g/t)
SK-22-1033	45.68	56.83	11.15	0.27	6.4	0.34
SK-22-1033	69.72	77.50	7.78	0.39	6.4	0.47
SK-22-1033	85.10	89.50	4.40	1.81	27.7	2.12
SK-22-1033	108.62	116.00	7.38	0.42	1.7	0.44
SK-22-1033	128.00	129.50	1.50	0.68	0.5	0.68
SK-22-1034	44.70	46.50	1.80	0.72	0.7	0.73
SK-22-1034	102.04	103.45	1.41	0.93	0.9	0.94
SK-22-1035	13.62	22.00	8.38	0.98	1.0	0.99
SK-22-1035	62.50	64.50	2.00	1.63	1.6	1.65
SK-22-1035	81.00	84.40	3.40	0.82	0.8	0.83
SK-22-1035	93.50	100.00	6.50	0.80	0.8	0.81
SK-22-1035	111.00	113.50	2.50	0.72	0.7	0.73
SK-22-1035	163.00	165.00	2.00	1.78	1.8	1.80
SK-22-1036	31.50	35.75	4.25	0.50	0.5	0.51
SK-22-1036	44.00	48.50	4.50	0.68	0.7	0.69
SK-22-1036	62.50	65.00	2.50	1.62	1.6	1.64
SK-22-1036	76.00	77.00	1.00	0.77	0.8	0.78
SK-22-1036	81.50	82.50	1.00	3.17	3.2	3.21
SK-22-1036	123.65	126.00	2.35	1.61	1.6	1.63
SK-22-1036	134.00	142.50	8.50	1.12	1.1	1.13
SK-22-1037	60.42	61.50	1.08	0.47	1.0	0.48
SK-22-1037	67.15	80.50	13.35	0.47	2.7	0.50
SK-22-1037	93.50	100.50	7.00	0.30	3.5	0.34
SK-22-1037	107.73	138.00	30.27	0.45	1.0	0.45
SK-22-1037	145.00	160.00	15.00	0.37	0.8	0.37
SK-22-1037	167.00	177.50	10.50	0.35	0.6	0.35
SK-22-1037	219.00	226.50	7.50	0.30	17.2	0.49
SK-22-1037	251.00	252.00	1.00	0.30	0.5	0.30
SK-22-1038	70.00	75.50	5.50	0.52	0.5	0.53
SK-22-1038	84.25	99.00	14.75	1.10	1.1	1.11
SK-22-1038	103.50	105.00	1.50	0.87	0.9	0.88
SK-22-1038	109.50	124.50	15.00	1.28	1.3	1.30
SK-22-1038	128.63	135.38	6.75	1.03	1.0	1.04
SK-22-1038	172.00	172.77	0.77	1.28	1.3	1.30
SK-22-1038	201.00	202.00	1.00	1.08	1.1	1.09
SK-22-1039	61.35	70.50	9.15	0.80	0.8	0.82
SK-22-1039	76.00	77.50	1.50	0.60	0.6	0.61
SK-22-1039	80.91	82.00	1.09	0.67	0.7	0.68
SK-22-1039	88.00	89.00	1.00	0.74	0.7	0.75
SK-22-1039	105.00	110.86	5.86	0.65	0.7	0.66
SK-22-1040	46.15	141.90	95.75	0.78	0.8	0.79
SK-22-1040	180.50	183.50	3.00	0.33	0.3	0.33
SK-22-1040	203.00	204.00	1.00	0.35	0.4	0.35
SK-22-1041	26.62	27.42	0.80	0.61	0.6	0.62
SK-22-1041	45.50	46.90	1.40	0.59	0.6	0.60
SK-22-1041	93.00	94.00	1.00	0.83	0.8	0.84
SK-22-1042	188.00	189.00	1.00	1.42	1.4	1.44
SK-22-1042	199.00	200.17	1.17	2.51	2.5	2.54
SK-22-1042	204.48	205.00	0.52	0.81	0.8	0.82
SK-22-1043						ND
SK-22-1044	345.50	352.00	6.50	2.48	32.1	2.84
SK-22-1045	250.00	263.00	13.00	1.65	66.9	2.39
SK-22-1045	286.40	292.55	6.15	1.95	7.8	2.03
SK-22-1046						NSA
SK-22-1047	82.00	82.80	0.80	0.40	5.7	0.46

Hole-ID	From (m)	To (m)	Sample Length (m)	Au (g/t)	Ag (g/t)	AuEq (g/t)
SK-22-1047	155.50	195.06	39.56	0.90	1.0	0.91
SK-22-1047	209.50	211.00	1.50	0.31	0.3	0.31
SK-22-1047	232.00	238.00	6.00	0.45	0.4	0.45
SK-22-1047	244.00	248.50	4.50	0.88	0.9	0.89
SK-22-1047	289.00	327.00	38.00	0.32	9.3	0.43
SK-22-1047	337.50	343.50	6.00	0.57	4.1	0.61
SK-22-1048	100.00	100.97	0.97	0.88	14.5	1.04
SK-22-1048	140.00	141.30	1.30	0.84	9.0	0.94
SK-22-1048	257.50	269.00	11.50	0.26	16.7	0.44
SK-22-1048	279.50	298.00	18.50	0.48	43.1	0.96
SK-22-1048	334.50	335.50	1.00	0.27	6.7	0.35
SK-22-1048	341.92	343.10	1.18	0.29	3.4	0.33
SK-22-1048	355.00	360.21	5.21	2.29	135.8	3.82
INCLUDING	359.00	359.50	0.50	12.25	1020.0	23.71
SK-22-1049	364.50	376.50	12.00	1.53	8.9	1.63
SK-22-1049	421.35	425.50	4.15	3.84	11.3	3.96
SK-22-1050	113.64	121.23	7.59	0.67	3.5	0.72
SK-22-1050	126.00	128.00	2.00	0.60	4.7	0.66
SK-22-1051	56.80	58.31	1.51	1.23	1.2	1.24
SK-22-1051	62.00	63.50	1.50	1.26	1.3	1.28
SK-22-1051	68.50	73.60	5.10	0.68	0.7	0.69
SK-22-1051	90.57	98.88	8.31	0.89	0.9	0.91
SK-22-1051	177.00	177.63	0.63	0.94	0.9	0.95
SK-22-1051	233.50	234.90	1.40	0.67	0.7	0.68
SK-22-1052	67.50	75.00	7.50	1.11	4.3	1.15
SK-22-1052	92.70	147.00	54.30	0.35	6.2	0.42
SK-22-1052	156.78	193.70	36.92	0.35	1.6	0.37
SK-22-1052	205.25	205.85	0.60	1.09	9.6	1.20
SK-22-1052	213.10	213.66	0.56	0.29	0.9	0.30
SK-22-1053	127.14	132.61	5.47	1.08	1.1	1.09
SK-22-1053	139.78	141.96	2.18	0.71	0.7	0.72
SK-22-1053	149.94	151.00	1.06	0.72	0.7	0.73
SK-22-1054	99.00	139.67	40.67	1.79	32.0	2.15
SK-22-1055	70.50	72.00	1.50	0.66	125.0	2.05
SK-22-1055	198.15	198.68	0.53	1.26	14.6	1.42
SK-22-1055	229.57	231.10	1.53	5.94	4.1	5.98
SK-22-1055	276.75	278.25	1.50	4.07	31.6	4.42
SK-22-1055	282.50	288.50	6.00	1.14	24.4	1.41
SK-22-1055	295.00	296.50	1.50	20.00	50.7	20.56
SK-22-1056						PENDING
SK-22-1056	16.88	17.50	0.62	0.31	0.3	0.31
SK-22-1056	29.22	32.83	3.61	0.36	3.1	0.39
SK-22-1056	44.14	48.66	4.52	0.72	107.0	1.92
SK-22-1056	78.70	79.46	0.76	0.34	3.9	0.38
SK-22-1056	89.00	90.50	1.50	0.30	10.5	0.42
SK-22-1056	96.50	98.00	1.50	0.33	1.7	0.35
SK-22-1056	105.50	108.50	3.00	0.43	3.8	0.47
SK-22-1056	116.00	129.50	13.50	0.42	2.5	0.44
SK-22-1056	138.77	142.50	3.73	0.56	9.9	0.67
SK-22-1057	9.50	16.80	7.30	0.99	47.1	1.52
SK-22-1057	25.12	30.20	5.08	0.56	33.6	0.94
SK-22-1058	7.18	13.00	5.82	0.46	16.9	0.65
SK-22-1058	20.50	50.00	29.50	0.46	6.9	0.53
SK-22-1058	59.00	66.50	7.50	0.25	2.5	0.28
SK-22-1058	93.50	99.50	6.00	0.24	1.2	0.25

Hole-ID	From (m)	To (m)	Sample Length (m)	Au (g/t)	Ag (g/t)	AuEq (g/t)
SK-22-1058	109.50	154.00	44.50	0.40	4.3	0.44
SK-22-1058	163.00	175.40	12.40	0.78	5.5	0.84
SK-22-1059	23.65	25.00	1.35	0.36	0.5	0.36
SK-22-1059	36.50	38.00	1.50	0.29	1.1	0.30
SK-22-1059	44.70	68.45	23.75	0.40	3.6	0.44
SK-22-1059	74.00	75.50	1.50	0.41	0.5	0.41
SK-22-1059	97.50	99.00	1.50	1.16	0.5	1.16
SK-22-1059	124.50	129.00	4.50	0.30	4.0	0.35
SK-22-1060	0.70	15.20	14.50	1.03	5.7	1.10
SK-22-1060	22.00	27.00	5.00	0.32	4.1	0.37
SK-22-1060	47.50	56.00	8.50	0.45	0.7	0.46
SK-22-1060	62.50	65.50	3.00	0.32	0.4	0.32
SK-22-1060	71.47	72.75	1.28	0.58	0.7	0.59
SK-22-1060	80.00	81.00	1.00	0.46	0.3	0.46
SK-22-1060	96.67	98.00	1.33	4.29	15.4	4.46
SK-22-1060	121.00	122.36	1.36	0.36	2.0	0.38
SK-22-1061	62.45	90.50	28.05	1.54	1.5	1.56
Including	78.00	79.00	1.00	13.00	13.0	13.17
SK-22-1061	120.00	121.50	1.50	2.47	2.5	2.50
SK-22-1062	0.07	30.00	29.93	1.03	4.3	1.08
SK-22-1062	54.50	68.93	14.43	0.59	2.1	0.61
SK-22-1062	85.37	89.00	3.63	0.30	2.3	0.32
SK-22-1062	99.21	103.00	3.79	0.23	0.6	0.23
SK-22-1062	111.00	112.50	1.50	0.41	0.5	0.41
SK-22-1063	68.50	69.55	1.05	0.35	0.5	0.36
SK-22-1063	99.70	104.20	4.50	0.60	1.9	0.62
SK-22-1063	121.75	128.00	6.25	0.46	3.0	0.49
SK-22-1063	142.50	144.00	1.50	0.42	3.2	0.46
SK-22-1063	149.74	158.25	8.51	0.40	3.7	0.44
SK-22-1063	182.12	222.00	39.88	0.47	43.7	0.97
SK-22-1064	103.00	107.90	4.90	0.97	16.9	1.16
SK-22-1064	184.50	187.50	3.00	1.12	18.5	1.33
SK-22-1065	124.10	144.00	19.90	0.88	7.9	0.97
SK-22-1065	194.50	202.00	7.50	0.28	2.9	0.31
SK-22-1065	207.50	216.50	9.00	0.18	528.0	6.11
Including	209.00	212.00	3.00	0.14	1505.0	17.05
SK-22-1065	223.47	227.00	3.53	0.33	5.1	0.39
SK-22-1066	140.10	141.95	1.85	0.35	1.2	0.36
SK-22-1066	158.50	164.00	5.50	0.24	13.5	0.39
SK-22-1066	172.69	173.90	1.21	0.91	46.1	1.43
SK-22-1066	228.50	251.50	23.00	0.40	3.6	0.44
SK-22-1066	256.95	265.45	8.50	1.46	10.2	1.57
SK-22-1066	328.48	329.15	0.67	0.31	1.4	0.33
SK-22-1067	60.00	73.50	13.50	0.37	4.5	0.42
SK-22-1067	132.80	142.95	10.15	0.67	2.2	0.70
SK-22-1067	159.00	160.50	1.50	0.48	1.4	0.50
SK-22-1068	55.50	61.50	6.00	1.26	32.3	1.62
SK-22-1068	125.00	166.50	41.50	0.76	3.6	0.80
SK-22-1068	268.00	281.50	13.50	0.48	1.0	0.49
SK-22-1068	290.50	295.00	4.50	0.28	0.5	0.29
SK-22-1069	8.00	12.50	4.50	0.46	4.2	0.51
SK-22-1069	18.50	45.00	26.50	1.94	32.3	2.30
SK-22-1069	57.50	78.50	21.00	2.59	7.9	2.68
Including	71.00	72.00	1.00	23.20	14.2	23.36
and	73.00	74.00	1.00	13.00	14.5	13.16

Hole-ID	From (m)	To (m)	Sample Length (m)	Au (g/t)	Ag (g/t)	AuEq (g/t)
SK-22-1069	89.00	100.50	11.50	0.56	3.5	0.60
SK-22-1069	106.50	121.00	14.50	0.68	0.5	0.68
SK-22-1069	127.00	156.87	29.87	0.98	6.4	1.05
SK-22-1069	237.65	251.21	13.56	1.97	9.3	2.07
INCLUDING	244.31	245.50	1.19	11.55	25.1	11.83
SK-22-1070	32.00	63.00	31.00	0.50	8.2	0.59
SK-22-1070	68.50	81.54	13.04	0.71	4.3	0.75
SK-22-1070	89.75	154.50	64.75	0.42	1.6	0.44
SK-22-1070	183.50	192.00	8.50	0.31	0.6	0.31
SK-22-1070	246.00	247.50	1.50	0.43	2.8	0.46
SK-22-1070	271.50	274.50	3.00	0.42	4.9	0.47
SK-22-1070	280.50	282.00	1.50	0.37	2.4	0.40
SK-22-1070	333.50	341.00	7.50	0.36	1.9	0.38
SK-22-1070	363.00	370.50	7.50	0.24	0.5	0.24
SK-22-1070	378.00	379.50	1.50	0.45	0.5	0.45
SK-22-1070	393.00	394.50	1.50	0.50	0.5	0.50
SK-22-1070	406.50	408.00	1.50	0.34	0.5	0.34
SK-22-1071	10.84	16.00	5.16	0.61	13.0	0.76
SK-22-1071	35.50	63.27	27.77	0.76	7.4	0.84
SK-22-1071	70.50	85.50	15.00	0.27	4.0	0.31
SK-22-1071	93.00	110.50	17.50	0.38	1.1	0.40
SK-22-1071	141.00	144.00	3.00	0.58	0.8	0.58
SK-22-1071	159.18	269.00	109.82	1.12	4.7	1.17
SK-22-1071	275.00	286.50	11.50	0.53	1.0	0.53
SK-22-1072	12.34	15.20	2.86	1.48	1.5	1.50
SK-22-1072	25.95	26.92	0.97	0.99	1.0	1.00
SK-22-1072	70.50	71.50	1.00	0.67	0.7	0.68
SK-22-1073						PENDING
SK-22-1074	83.55	84.55	1.00	0.28	2.1	0.30
SK-22-1075	20.00	24.50	4.50	0.56	2.0	0.59
SK-22-1075	31.00	32.00	1.00	0.65	1.3	0.66
SK-22-1075	101.50	107.00	5.50	0.42	0.5	0.42
SK-22-1075	126.50	128.00	1.50	0.78	0.5	0.78
SK-22-1075	142.12	144.50	2.38	0.83	0.5	0.83
SK-22-1076	0.10	2.50	2.40	0.72	2.7	0.75
SK-22-1076	12.00	14.67	2.67	0.25	3.6	0.29
SK-22-1076	23.47	26.91	3.44	0.99	12.9	1.13
SK-22-1076	36.00	49.11	13.11	0.54	3.5	0.58
SK-22-1076	81.00	84.00	3.00	1.50	5.2	1.55
SK-22-1076	97.50	111.28	13.78	1.09	2.6	1.12
SK-22-1077						PENDING
SK-22-1078						NSA
SK-22-1079	5.15	14.70	9.55	0.52	9.0	0.62
SK-22-1079	33.87	36.29	2.42	0.28	4.1	0.32
SK-22-1079	46.80	47.67	0.87	0.48	4.7	0.53
SK-22-1079	69.10	119.00	49.90	0.61	16.6	0.80
SK-22-1079	143.50	144.98	1.48	0.44	1.9	0.46
SK-22-1079	167.00	168.50	1.50	0.37	0.5	0.37
SK-22-1080	8.15	9.33	1.18	1.09	5.2	1.15
SK-22-1081	855.69	887.88	32.19	3.79	59.4	4.46
INCLUDING	855.69	857.00	1.31	5.05	87.0	6.03
AND	857.00	858.50	1.50	2.53	72.3	3.34
AND	858.50	860.00	1.50	1.01	19.9	1.23
AND	860.00	861.50	1.50	1.51	13.2	1.66
AND	861.50	863.00	1.50	2.21	26.2	2.50

Hole-ID	From (m)	To (m)	Sample Length (m)	Au (g/t)	Ag (g/t)	AuEq (g/t)
AND	863.00	863.76	0.76	1.96	14.6	2.12
AND	863.76	865.00	1.24	5.24	40.9	5.70
AND	865.00	866.00	1.00	3.91	18.4	4.12
AND	866.00	867.00	1.00	5.48	24.6	5.76
AND	867.00	868.00	1.00	10.15	44.0	10.64
AND	868.00	869.00	1.00	9.51	48.0	10.05
AND	869.00	870.00	1.00	6.39	22.7	6.65
AND	870.00	871.05	1.05	3.60	10.4	3.72
AND	871.05	872.25	1.20	4.26	6.8	4.34
AND	872.25	873.50	1.25	5.43	13.1	5.58
AND	873.50	875.00	1.50	2.31	11.5	2.44
AND	875.00	876.50	1.50	0.97	6.8	1.05
AND	876.50	878.00	1.50	2.49	6.5	2.56
AND	878.00	879.50	1.50	2.79	5.0	2.85
AND	879.50	881.00	1.50	4.80	28.3	5.12
AND	881.00	882.00	1.00	3.72	122.0	5.09
AND	882.00	883.00	1.00	2.33	699.0	10.18
AND	883.00	884.00	1.00	1.62	66.4	2.37
AND	884.00	885.50	1.50	2.48	92.8	3.52
AND	885.50	887.00	1.50	4.50	142.0	6.10
AND	887.00	887.88	0.88	8.34	21.1	8.58
SK-22-1081	892.00	893.50	1.50	4.77	6.5	4.84
SK-22-1081	982.71	988.00	5.29	1.01	2.4	1.04
SK-22-1081	995.50	997.00	1.50	2.08	1.2	2.09
SK-22-1082	7.33	19.90	12.57	1.94	5.8	2.00
SK-22-1082	42.85	52.95	10.10	0.91	8.5	1.00
SK-22-1082	91.50	92.18	0.68	0.39	2.9	0.42
SK-22-1082	114.79	127.00	12.21	0.32	6.1	0.38
SK-22-1082	142.00	143.93	1.93	2.27	2.2	2.30
SK-22-1082	181.00	182.50	1.50	1.49	0.5	1.49
SK-22-1083	277.77	286.50	8.73	1.55	76.4	2.40
SK-22-1084	250.50	253.50	3.00	1.29	7.7	1.38
SK-22-1084	314.00	317.00	3.00	1.09	14.2	1.24
SK-22-1085	80.00	104.00	24.00	0.61	4.2	0.65
SK-22-1085	128.50	130.00	1.50	0.43	0.7	0.44
SK-22-1085	142.00	158.50	16.50	0.53	1.8	0.55
SK-22-1086	156.11	162.00	5.89	4.29	5.4	4.35
SK-22-1086	276.37	286.15	9.78	2.42	26.4	2.71
SK-22-1086	297.50	304.10	6.60	2.17	4.6	2.22
SK-22-1087						NSA
SK-22-1089	3.10	33.00	29.90	0.77	7.9	0.86
SK-22-1089	43.50	60.00	16.50	0.59	6.4	0.66
SK-22-1089	70.50	97.90	27.40	0.61	0.5	0.61
SK-22-1087						PENDING
SK-22-1088						ABANDONED
SK-22-1089						PENDING
SK-22-1090	1.48	97.50	96.02	1.13	6.6	1.20
SK-22-1090	105.00	115.50	10.50	0.42	1.9	0.44
SK-22-1090	132.00	133.00	1.00	0.41	0.5	0.41
SK-22-1090	187.00	226.50	39.50	0.79	7.3	0.87
SK-22-1091						PENDING
SK-22-1092	2.53	82.50	79.97	0.92	12.5	1.05
Including	2.53	52.50	49.97	1.24	18.5	1.48
SK-22-1093	40.88	53.00	12.12	47.50	73.4	48.48
Including	40.88	41.74	0.86	10.00	0.7	10.01

Hole-ID	From (m)	To (m)	Sample Length (m)	Au (g/t)	Ag (g/t)	AuEq (g/t)	
	and	41.74	42.90	1.16	45.60	65.3	46.47
	and	42.90	43.51	0.61	39.60	82.1	40.69
	and	43.51	44.41	0.90	112.50	14.0	100.19
	and	44.41	45.90	1.49	62.20	145.0	64.13
	and	45.90	47.40	1.50	96.20	117.0	97.76
	and	47.40	48.90	1.50	45.70	149.0	47.69
	and	48.90	50.00	1.10	19.00	63.6	19.85
	and	50.00	51.00	1.00	17.10	34.3	17.56
	and	51.00	52.00	1.00	36.80	26.3	37.15
	SK-22-1093	81.90	83.40	1.50	0.48	18.5	0.73
	SK-22-1094	82.50	83.00	0.50	0.50	8.8	0.60
	SK-22-1094	108.50	110.00	1.50	0.60	14.7	0.76
	SK-22-1094	139.50	142.50	3.00	1.28	3.4	1.32
	SK-22-1094	158.30	175.00	16.70	1.18	110.9	2.41
	Including	166.91	167.51	0.60	1.91	786.0	10.64
	and	167.51	168.28	0.77	7.78	1235.0	21.50
	SK-22-1094	188.00	194.70	6.70	0.75	3.8	0.79
	SK-22-1095	79.00	80.50	1.50	0.15	34.1	0.53
	SK-22-1095	119.00	120.50	1.50	0.48	5.4	0.54
	SK-22-1095	147.40	168.00	20.60	5.39	10.9	5.51
	Including	148.79	150.00	1.21	9.55	94.7	10.60
	and	155.66	156.40	0.74	26.80	12.6	26.94
	and	156.40	157.50	1.10	22.20	8.1	22.29
	SK-22-1096	36.54	38.00	1.46	1.23	5.5	1.29
	SK-22-1096	92.00	99.00	7.00	0.94	92.2	1.97
	SK-22-1096	120.50	122.00	1.50	1.67	8.7	1.77
	SK-22-1097	49.18	50.50	1.32	0.76	0.3	0.76
	SK-22-1103	15.20	37.00	21.80	3.08	32.9	3.45
	SK-22-1103	42.00	53.75	11.75	3.75	70.3	4.53
	SK-22-1104	18.00	31.50	13.50	1.25	6.7	1.32
	SK-22-1112	32.44	49.00	16.56	1.86	88.3	2.85
	SK-22-1112	63.00	67.50	4.50	0.36	24.7	0.64
	SK-22-1112	81.00	82.50	1.50	0.38	18.5	0.59
	SK-22-1112	135.00	136.50	1.50	0.07	49.0	0.61
	SK-22-1112	144.00	145.50	1.50	0.15	39.0	0.58
	SK-22-1112	182.00	188.50	6.50	0.53	15.9	0.71
	SK-22-1112	194.50	196.00	1.50	0.51	7.3	0.59
	SK-22-1112	200.00	209.00	9.00	0.31	108.4	1.51
	SK-22-1112	219.50	222.50	3.00	0.73	8.6	0.82
	SK-22-1112	227.00	231.50	4.50	0.34	31.7	0.69
	SK-22-1112	241.00	244.00	3.00	0.56	16.0	0.74
	SK-22-1113	25.00	27.00	2.00	0.47	4.9	0.53
	SK-22-1113	49.00	51.50	2.50	0.62	19.5	0.83
	SK-22-1113	58.60	68.50	9.90	1.83	101.4	2.96
	SK-22-1113	79.50	81.00	1.50	0.76	1.0	0.77
	SK-22-1113	175.00	175.57	0.57	0.66	1.6	0.68
	SK-22-1113	180.50	184.00	3.50	0.41	0.5	0.41
	SK-22-1113	189.50	190.57	1.07	0.72	2.4	0.75
	SK-22-1122	44.00	68.00	24.00	20.43	175.2	22.38
	Including	47.50	48.00	0.50	19.35	111.0	20.58
	and	48.00	48.50	0.50	36.60	950.0	47.16
	and	48.50	49.00	0.50	80.20	2790.0	111.20
	and	49.00	49.50	0.50	15.95	475.0	21.23
	and	49.50	50.00	0.50	11.00	560.0	17.22
	and	50.00	50.50	0.50	12.90	445.0	17.84

Hole-ID	From (m)	To (m)	Sample Length (m)	Au (g/t)	Ag (g/t)	AuEq (g/t)
and	50.50	51.00	0.50	23.40	1155.0	36.23
and	51.00	51.62	0.62	29.80	808.0	38.78
and	51.62	52.12	0.50	15.35	156.0	17.08
and	52.12	52.70	0.58	14.75	36.8	15.16
and	52.70	53.38	0.68	20.60	163.0	22.41
and	53.38	54.00	0.62	22.30	91.5	23.32
and	54.00	54.50	0.50	14.65	63.7	15.36
and	54.50	55.00	0.50	16.30	44.0	16.79
and	55.00	55.50	0.50	42.20	65.0	42.92
and	55.50	56.00	0.50	37.80	19.8	38.02
and	56.00	56.50	0.50	46.20	37.5	46.62
and	56.50	57.00	0.50	29.00	94.0	30.04
and	57.00	57.50	0.50	37.10	14.1	37.26
and	57.50	58.00	0.50	59.80	15.2	59.97
and	58.00	58.50	0.50	33.50	3.9	33.54
and	58.50	59.00	0.50	28.70	2.3	28.73
and	59.00	59.50	0.50	64.70	2.0	64.72
and	59.50	60.43	0.93	65.80	1.1	65.81
and	60.43	61.60	1.17	25.70	0.8	25.71
SK-22-1122	75.50	83.00	7.50	0.62	3.4	0.66
SK-22-1131	23.30	40.50	17.20	7.73	16.8	7.91
Including	23.30	27.32	4.02	9.47	13.7	9.62
and	31.20	36.40	5.20	14.61	31.3	14.96

True widths range from 70-100% of reported core lengths. Length weighted AuEq composites are constrained by geological considerations. Grade-capping of individual assays has not been applied to the Au and Ag assays informing the length-weighted AuEq composites. Metallurgical processing recoveries have not been applied to the AuEq calculation and are taken at 100%. Samples below detection limit were nulled to a value of zero. NSA – No Significant Assays.